



Reynaers
Aluminium

DoorPulls introduction

1. Motive & USP's

Door pull bars are the finishing touch to our premium aluminium entrance doors

Why:

1. Competitive price level
2. Short delivery terms
3. Unified and matching colours

USPs:

1. One stop shop
2. Design freedom
3. Combine with complementary products

**Standardisation of bespoke
door accessories**




2. The Concept


Competition:

- Ordered to size
- welded connection
- Sanded and polished

€€€



Standard lengths cut to size with
end brackets




Reynaers:

- Standard lengths
- With mounting brackets
- In same order flow as our profiles = **shorter delivery times**
- Less expensive craftsmanship labour = **more price competitive**



3. The Variants


DoorPull Square



Compatible profile systems:


- Masterline 8
- SlimLine 38
- CS 77
- CD 68

flexible placement positioning on the door leaf:



3. The Variants


DoorPull Fin



Compatible profile systems:


- Masterline 8
- SlimLine 38
- CS 77
- CD 68

placement positioning on the door leaf:



3. The Variants


DoorPull Hook



Compatible profile systems:

- Masterline 8

placement positioning on the door leaf:






4. For the fabricator



The assembly:

- Fixations always thru 2 profile walls
 - Bar cut to length in the workshop
 - Free choice for X, Y and Z positions
- Attention !** → be aware of the opening circle of the door leaf.



Torx 25




5. For the planner

DoorPull Square


the components:



- BAR 2350 mm → 161.7500.XX
- BAR 2750 mm → 161.7501.XX
- BAR 3100 mm → 161.7502.XX
- END BRACKETS with screw 50 mm → 161.7503.XX
- END BRACKETS with screw 60 mm → 161.7504.XX



Compatible for opening types:






5. For the planner


DoorPull Plus

the components:

- BAR 2350 mm → 161.7500.XX
- BAR 2750 mm → 161.7501.XX
- BAR 3100 mm → 161.7502.XX
- END BRACKETS with screw 50 mm → 161.7503.XX
- END BRACKETS with screw 60 mm → 161.7504.XX
- FINGER PRINT SCANNER Arte → 061.8423.SY
- CABLE 3500 mm → 061.8425.--



Compatible for opening types:




4. For the fabricator



The assembly:


- Always use multiple fixations over the full height of the door leaf
- Glue is optional
- Strength and fixation with positioning over the glass are planned in April '21.



Self tapping screw

• 1050 mm

Floor level



5. For the planner



DoorPull Fin

the components:


- FIN 2500 mm → 408.7555.XX
- FIN 3100 mm → 408.7556.XX



- END CAPS → 165.7402.XX
- SCREWS → 052.5311.--



Compatible for opening types:




Reynaers
Aluminium

4. For the fabricator





The assembly:

To mount the pull bars, the details on the profile to receive the glazing beads (a) and the glazing beads themselves (b) needs to be milled away.



Compatible with regular MasterLine 8 flush or window doors:

1. Shorten to required length (do not forget to touch up off cut ends with paint stift)
2. Mill opening 40x5mm in glass rebate flange + mill away rills on profile.
3. Insert pull bar and fix with self tapping screws.



5. For the planner

DoorPull Hook




the components:

- HOOK 4000 mm → 408.7550.XX
- HOOK 300 mm → 165.7555.XX




- SCREWS → 050.5131.--

- Standard hardware for XL Pivot doors




Reynaers
Aluminium

Also **compatible** for opening types:



6. DoorPull handles – finding information

Reynaers Documentation



7. DoorPull handles - overview

A **growing** product group for a great first impression



	HOOK  	ROUND 	HIFINITY 	
SHORT	 165.7555.XX  PRODUCT EXTENSION	 061.7500.-- 061.7502.-- 061.7508.-- 061.7510.--  061.7512.-- 061.7514.--  061.7504.-- 061.7506.--  061.7516.-- 061.7518.--	 062.7775.XX 062.7777.XX	
LONG	 408.7550.XX  PRODUCT EXTENSION	 161.7500.XX 161.7501.XX 161.7502.XX 161.7503.XX 161.7504.XX  NEW	 408.7555.XX 408.7556.XX 165.7402.XX  NEW	 106.1340.XX 106.1350.XX



**Together
for better**